

PURESTONE Slimline Shower Trays


www.attibathrooms.com



Purestone Slimline Shower Trays


- Slimline 35mm height.
- ABS capped stone resin.
- Optional riser leg and panel pack.
- CE CERT: BS EN 14527 Class Thowar Tray







Product Dimensions



Product Code	А		С	
ATPSTR1480	1400mm	800mm	700mm	
ATPSTR1490	1400mm	900mm	700mm	
ATPSTR1580	1500mm	800mm	750mm	
ATPSTR1590	1500mm	900mm	750mm	
ATPSTR1780	1700mm	800mm	850mm	
ATPSTR1790	1700mm	900mm	850mm	



Purestone Slimline Shower Trays


- Slimline 35mm height.
- ABS capped stone resin.
- Optional riser leg and panel pack.
- CE CERT: BS EN 14527 Class Thowar Tray







Product Dimensions



Product Code ATPSTR9076 ATPSTR9080	A		150mm				
	900mm 900mm	760mm 800mm					
				ATPSTR1080	1000mm	800mm	150mm
ATPSTR1090 ATPSTR1180 ATPSTR1190	1000mm 1100mm	900mm 800mm 900mm	150mm 150mm				
				ATPSTR1280	1200mm	800mm	150mm
				ATPSTR1290	1200mm	900mm	150mm

The information contained on this page was correct at date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances. We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice.


All sizes are listed as accurate as possible however they can vary slightly. Please allow a variant of approx 10-20mm on certain products.




Purestone 900mm Quadrant Slimline Shower Tray

- Slimline 35mm height.
- ABS capped stone resin.
- Optional riser leg and panel pack.
- CE CERT: BS EN 14527 Class Shower Tray





Product Dimensions



The information contained on this page was correct at date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances.

We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice.


All sizes are listed as accurate as possible however they can vary slightly. Please allow a variant of approx 10-20mm on certain products.



Purestone Offset Quadrant Slimline Shower Tray


- Slimline 35mm height.
- ABS capped stone resin.
- Optional riser leg and panel pack.
- CE CERT: BS EN 14527 Class Shower Tray







Product Dimensions



The information contained on this page was correct at usite of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances. We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice.


All sizes are listed as accurate as possible however they can vary slightly. Please allow a variant of approx 10-20mm on certain products.



Purestone Quadrant Slimline Shower Trays

- Slimline 35mm height.
- ABS capped stone resin.
- Optional riser leg and panel pack.
- CE CERT: BS EN 14527 Class Thowar Tray








Product Dimensions

800mm Quadrant 800 95 50 650



The information contained on this page was correct at date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances.

We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice.


All sizes are listed as accurate as possible however they can vary slightly. Please allow a variant of approx 10-20mm on certain products.



Purestone Square Slimline Shower Trays


- · Slimline 35mm height.
- ABS capped stone resin.
- Optional riser leg and panel pack.
- CE CERT: BS EN 14527 Class 1 Shower Tray







Product Dimensions



ATPSTS7676 ATPSTS8080 ATPSTS9090 ATPSTS1010	760mm 800mm		150mm 150mm			
		760mm 800mm 900mm				
				1000mm	1000mm	150mm

The information contained on this page was correct at date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances.

We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice.

All sizes are listed as accurate as possible however they can vary slightly. Please allow a variant of approx 10-20mm on certain products.